

MSG11-3500/UK Hydraulic Valves Industrial Standard



HYDRAULIC VALVES INDUSTRIAL STANDARD



Alphanumeric product index, product index by function

Directional Control Valves

Seated valves, spool valves, direct and pilot operated

2

Proportional DC Valves

Standard, high repeatability, VCD® performance

3

Pressure Valves

Subplate and screw-in mounting

4

Flow Valves

Throttle and flow control valves, subplate and screw-in mounting

5

Check Valves

Shuttle valves, direct and pilot operated check valves, subplate and screw-in mounting

6

Sandwich Valves

For pressure, check and flow functions

7

Slip-In Cartridge Valves

According to ISO 7368, with pressure, directional, flow and check functions

8

SAE Flange Valves

For pressure, directional, flow and check functions

9

Valves for Pipe Mounting

With pressure, directional, flow and check functions

10

Electronics

Amplifiers, axis controllers and accessories

11

Accessories

Subplates, pressure gauge valves, pressure switches, pressure intensifiers

12



Contents

Series	Description	Direct operated					Pilot operated				Page
		DIN / ISO	06	10	16	25	32	10	16	25	
Seat valves, electrically operated											
D1SE		•									2-2
Spool valves, electrically operated											
D1VW	Standard, soft shift	•									2-5
D1VW	8 Watt solenoid	•									2-13
D1VW	Inductive position control	•									2-19
D1VW	Explosion proof (conform to ATEX and IECEx)	•									2-28
D1MW	For wash down applications	•									2-33
D3W	Standard		•								2-39
D3W	Inductive position control		•								2-46
D3MW	For wash down applications		•								2-55
D31DW	Standard and position control							•			2-61
D31NW	Highest flow							•			
D41VW	Standard and inductive position control								•		
D91VW	Standard and inductive position control									•	
D111VW	Standard and inductive position control										•
Spool valves, hydraulically operated											
D1VP		•									2-74
D3DP			•								
D4P				•							
D9P					•						
D11P						•					
Spool valves, pneumatically operated											
D1VA		•									2-85
Spool valves, mechanically operated											
D1VL		•									2-89
D3DL			•								
Accessories											
	Plugs										2-96
	Actuator kits										2-97
	O-rings and seal kits										2-98
	Slip-in orifices										2-99
	Mounting patterns										2-100

Contents

Series	Description	Size	Operation		Electronics		LVDT	Spool Design			Page
			direct	pilot	external	onboard		Overlap	Zero lap	Spool/sleeve	
Introduction		DIN/ISO									3-2
Standard											
D1FB		NG06	•		•			•	optional	optional	3-3
D1FB OBE		NG06	•			•		•	optional	optional	
D3FB		NG10	•		•			•		optional	3-14
D3FB OBE		NG10	•			•		•		optional	
D31FB		NG10		•	•			•			3-24
D31FB OBE		NG10		•		•		•			
D41FB		NG16		•	•			•			
D41FB OBE		NG16		•		•		•			
D91FB		NG25		•	•			•			
D91FB OBE		NG25		•		•		•			
D111FB		NG32		•	•			•			
D111FB OBE		NG32		•		•		•			
D1FV*3	Pilot valve	NG06	•		•			•			3-39
D1FV*3 OBE	Pilot valve	NG06	•			•		•			
High repeatability											
D1FC		NG06	•			•	•	•			3-47
D3FC		NG10	•			•	•	•			3-55
D31FC		NG10		•		•	•	•			3-63
D41FC		NG16		•		•	•	•			
D91FC		NG25		•		•	•	•			
D111FC		NG32		•		•	•	•			
VCD® performance*, for closed loop applications											
D1FP		NG06	•			•	•	•	•	•	3-73
D3FP		NG10	•			•	•	•	•	•	3-80
D1FP*D	w. freely config. control circuit	NG06		•		•	•	•	•	•	3-87
D3FP*D	w. freely config. control circuit	NG10		•		•	•	•	•	•	
D30FP		NG10		•		•	•	•	•		3-98
D31FP		NG10		•		•	•	•	•		3-105
D41FP		NG16		•		•	•	•	•		
D91FP		NG25		•		•	•	•	•		
D111FP		NG32		•		•	•	•	•		
D*FP, D*1FP	EtherCAT		•	•		•	•	•	•	•	3-115
Accessories											
	Plug-in connectors										3-118
	Actuator kits / coil kits										3-119
	Mounting patterns										3-120

* VCD® = Voice Coil Drive technology



Contents

Series	Description	Size				Mounting			Operation		Page		
		06	10	06	10	25	32	Subplate	Panel	Screw-in		Direct	Pilot
	Parker Standard DIN / ISO												
Pressure relief valves, manual operation													
VS				•				•			•		4-2
VB				•				•			•		4-5
EVSA		•	•							•			4-8
R1E02	Remote control valve	•						•	•		•		4-11
R4V/R6V					•	•	•	•				•	4-14
R4V/R6V	According to directive 97/23/EG (TÜV)				•	•	•	•				•	4-23
Pressure relief valves, proportional operation													
RE06M*W				•				•			•		4-32
RE06M*T				•				•			•		4-36
R4V/R6V					•	•	•	•				•	4-42
R4V/R6V	Onboard electronics				•	•	•	•				•	4-48
VBY*K				•				•				•	4-56
Unloading and sequence valves, manual operation													
R4U					•	•	•	•				•	4-61
R4S					•	•	•	•				•	4-67
Pressure reducing valves, manual operation													
VM				•				•			•		4-70
R4R					•	•	•	•				•	4-73
Pressure reducing valves, proportional operation													
R4R					•	•	•	•				•	4-77
Accessories													
	Plug-in connectors												4-81

More pressure valves are presented in the following chapters:

Chapter 7: Sandwich Valves

Chapter 8: Slip-In Cartridge Valves

Chapter 9: SAE Flange Valves

Chapter 10: Valves for Pipe Mounting

Series	Description	Size									Mounting		Page	
		1/4	3/8	1/2	3/4	1	06	10	16	Subplate	Screw-in			
	Parker Standard DIN / ISO													
Throttle valves, manual adjustment														
MVI		•	•	•	•							•		5-2
NS		•	•	•	•	•						•		5-4
FS	With free return flow	•	•	•	•	•						•		5-6
Flow control valves, manual adjustment														
PCMS		•	•	•	•	•						•		5-8
GFG2										•		•		5-10

More flow valves are presented in the following chapters:
Chapter 7: Sandwich Valves
Chapter 8: Slip-In Cartridge Valves
Chapter 9: SAE Flange Valves
Chapter 10: Valves for Pipe Mounting

Series	Description	Size													Mounting			Page
		1/8	1/4	3/8	1/2	3/4	1	06	10	16	25	32	Subplate	Screw-in	Slip-in			
	Parker Standard DIN / ISO																	
Shuttle valves																		
SSR																		6-2
Check valves, direct operated																		
RK / RB		•	•	•	•													6-4
CS			•	•	•	•											•	6-7
SPZBE																		6-9
C4V											•	•	•	•	•		•	6-11
Check valves, pilot operated																		
C4V												•	•	•	•			6-14
2/2-way seat valves																		
D4S													•	•	•	•		6-18
Accessories																		
	Plugs																	6-28

More check valves are presented in the following chapters:
Chapter 7: Sandwich Valves
Chapter 8: Slip-In Cartridge Valves
Chapter 9: SAE Flange Valves
Chapter 10: Valves for Pipe Mounting

Contents

Series	Description	Size				Page
		DIN / ISO	06	10	16	
	DC valve					
Z1DW	Shut-off valve					7-2
	Pressure relief valves, manual operation					
RDM	Direct operated	•	•			7-9
RM	Pilot operated			•	•	7-13
ZDV	Pilot operated, high performance	•	•			7-18
	Pressure reducing valves, manual operation					
PRDM	Direct operated, 3-way	•	•			7-22
PRM	Pilot operated, 2-way			•	•	7-27
ZDR	Pilot operated, 2-way, high performance	•	•			7-31
	Pressure reducing valves, proportional operation					
PRPM	Pilot operated, 3-way	•	•			7-35
	Throttle check valves					
FM		•	•	•	•	7-39
	Check valves					
CM		•	•			7-51
	Check valves, pilot operated					
CPOM		•	•	•	•	7-55
	Counterbalance valves					
ZNS	Pilot operated	•	•			7-60
	Information					
	Mounting patterns, general information					7-63

Further sandwich valves are presented in chapter 8 „slip-in cartridge valves“, see „accessories, pilot valves“

Contents

Series	Description	Size										Page
		DIN / ISO	16	25	32	40	50	63	80	100	125	
2-way slip-in cartridge valves												
	Introduction, hydraulic symbols, installation dimensions											8-2
CE / CP	2-way cartridge	•	•	•	•	•	•	•	•	•	•	8-4
C*A	Cover without auxiliary function	•	•	•	•	•	•	•	•	•	•	8-8
C*B	Cover with stroke limiter	•	•	•	•	•	•	•	•	•	•	8-9
C*C	Cover for pilot system mounting	•	•	•	•	•	•	•	•	•	•	8-11
C*F	Cover for pressure relief function	•	•	•	•	•	•	•	•	•	•	8-14
C*G	Cover for pressure relief function plus pilot system mounting	•	•	•	•	•	•	•	•	•	•	8-15
C*V	Cover with shuttle valve	•	•	•	•	•	•	•	•	•	•	8-16
C*W	Cover with shuttle valve plus pilot system mounting	•	•	•	•	•	•	•	•	•	•	8-17
Accessories												
	Pilot valves											8-18
	Cover-, sandwich, adaptor plates											8-28
	Spare parts, seal kits											8-30
	Orifice diagram, orifice kits											8-31
Complete valves and combination examples, pressure function												
R / RS*E	Pressure relief valves, manual adjustment	•	•	•	•	•	•	•	•	•	•	8-32
DSDU	Pilot operated pressure relief valve	•	•	•	•	•	•	•	•	•	•	8-38
RE*E*W	Pressure relief valves, proportional adjustment	•	•	•	•	•	•	•	•	•	•	8-41
RE*E*T	Pressure relief valves, proportional adjustment, OBE	•	•	•	•	•	•	•	•	•	•	8-45
UR*E/US*E	Pressure unloading valves	•	•	•	•	•	•	•	•	•	•	8-51
	Combination examples, pressure function	•	•	•	•	•	•	•	•	•	•	8-57
Complete valves and combination examples, 2-way and check function												
C1DB	Direct operated check valve	•	•	•	•	•	•	•	•	•	•	8-75
SVLB	Pilot operated check valve	•	•	•	•	•	•	•	•	•	•	8-77
	Combination examples 2-way and check functions	•	•	•	•	•	•	•	•	•	•	8-80
Complete valves, directional function with position control												
C10C*E		•	•	•	•	•	•	•	•	•	•	8-85
Complete valves, active cartridges												
TDW			•	•	•	•	•	•	•	•	•	8-91
Complete valves, flow function												
TDA	2-way proportional throttle valve	•	•	•	•	•	•	•	•	•	•	8-102
TEA	2-way proportional throttle valve with shut-off valve	•	•	•	•	•	•	•	•	•	•	8-106
TDC	2-way high performance proportional throttle valve	•	•	•	•	•	•	•	•	•	•	8-109
TDP	2-way servo proportional valve with VCD® technology	•	•	•	•	•	•	•	•	•	•	8-117
TEP	2-way servo proportional valve with shut-off valve	•	•	•	•	•	•	•	•	•	•	8-127
TFP	2-way servo proportional valve with VCD® technology	•	•	•	•	•	•	•	•	•	•	8-138
TPQ	3-way servo proportional valve with VCD® technology	•	•	•	•	•	•	•	•	•	•	8-158

Contents

Series	Description	Size				Mounting		Configuration		Page
		DIN / ISO	3/4	1	1 1/4	1 1/2	SAE61	SAE62	2-port	
	Pressure valves, manual operation									
R5V	Pressure relief function	•	•	•	•	•	•	•	•	9-2
R5U	Pressure unloading function	•	•	•		•			•	9-7
R5S	Pressure sequence function	•	•	•		•		•	•	9-12
	Pressure valves, proportional operation									
R5V*P2	Pressure relief function	•	•	•	•	•	•	•	•	9-15
	Directional seat valves									
D5S		•	•	•	•	•		•	•	9-20
	Flow valves									
F5C	Throttle valves, proportional	•	•	•		•		•		9-30
R5P	3-way pressure compensator	•	•	•		•			•	9-34
	Check valves									
C5V	Direct operated	•	•	•	•	•	•	•		9-41
	Accessories									
	Bolt kits, flanges, plugs									9-45

Contents

Series	Description	Size										Body		Page
		DIN / ISO	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	L-port	T-port	
Pressure valves, manual operation														
R4V	Pressure relief function				•	•	•	•				•	•	10-2
R4R	Pressure reducing function				•	•	•	•				•	•	10-8
Pressure valves, proportional operation														
R4V*P2	Pressure relief function				•	•	•	•				•	•	10-14
R4R*P2	Pressure reducing function				•	•	•	•				•	•	10-19
Directional seat valves														
D4S	In-line mounted				•	•	•	•				•	•	10-24
Flow valves														
MV / 9MV	Throttle valve, with handle	•	•	•	•	•	•							10-33
N / 9N	Throttle valve, with knob	•	•	•	•	•	•							10-35
F / 9F	Throttle check valve, with knob	•	•	•	•	•	•	•	•	•				10-37
PCM / 9PCM	Flow control valve, with knob		•	•	•	•	•							10-39
Check valves														
C / 9C	Direct operated	•	•	•	•	•	•							10-41
RH	Pilot operated		•	•	•	•	•							10-43
Accessories														
	Plug-in connectors													10-46

Series	Description	For use with														Page		
		D*FB, D*1FB	D*FB, D*1FB OBE	D*FC, D*1FC	D*FP, D*1FP	R4V, R6V, R4R	R4V, R6V OBE	RE06M*W	RE06M*T	VMY, VBY	DUR*L	PRPM	TDA, TEA	TDP, TPQ	RE*E*W	RE*E*T	R5V, R5R	
Amplifiers for proportional valves																		
PWD00	For valves w/o position transducer	•																11-2
PWDXX	For valves with position transducer or valves in closed loop systems	•				•	•	•	•	•	•	•	•	•	•	•	•	11-8
PCD00	For up to 2 single solenoid valves w/o transducer					•	•	•	•	•	•	•	•	•	•	•	•	11-12
Electronics for command signal processing																		
PZD00	Min/max adjustment, 6 command channels, 6+1 ramps		•	•	•	•	•							•		•		11-16
Axis controller																		
PID00	For position, pressure and speed control in closed loop systems		•	•	•		•	•						•		•		11-20
PAC120	Parker Automation Controller																	11-24
PACHC	Electrohydraulic Control Module																	11-27
Accessories																		
EX-M05	Test unit for items with integrated electronics																	11-30

Series	Description	Size										Page
		06	10	16	25	32	40	50	63	80		
	DIN / ISO											
Subplates												
SPD	Subplates, BSPP threads, DC valves	•	•	•	•							12-2
A	Subplates, metric threads, DC valves	•	•									12-7
SPP	Subplates, BSPP threads, pressure valves, DIN / ISO		•		•	•						12-8
A102	Subplates for pressure valves, styles VB and VM		•									12-11
MSP	Multi-station manifold, DC valves	•	•									12-12
Cover, sandwich and adaptor plates												
	Symbols											12-19
PADA	Sandwich and adaptor plates	•	•									12-21
H06	Sandwich plates	•										12-22
CS06	Sandwich and cover plates	•										12-26
D51*	Cover plates	•	•									12-28
CB	Cartridge manifold block			•	•	•	•	•	•	•	•	12-30
Accessories for manifolds and systems												
BK	Bolt kits											12-32
TK	Tie rod kits											12-33
Pressure gauge valves												
WM	Pressure gauge selector valve											12-34
Pressure switches												
PSB	Pressure switches											12-36
SCPSD	Electronic pressure switch											12-41
Pressure intensifiers												
SD500	Pressure intensifiers											12-47

Product Index, Alphanumeric

Series	Description	Page
A	Subplates for DC valves	12-7
A102	Subplate for pressure valves	12-11
BK	Bolt kit	12-32
C / 9C	Check valves, direct operated	10-41
C*A	2-way slip-in cartridge valve without auxiliary function	8-8
C*B	2-way slip-in cartridge valve with stroke limiter	8-9
C*C	2-way slip-in cartridge valve for pilot system mounting	8-11
C*F	2-way slip-in cartridge valve for pressure relief function	8-14
C*G	2-way slip-in cartridge valve for pressure relief function plus pilot system mounting	8-15
C*H	2-way slip-in cartridge valve with stroke limiter	8-16
C*V	2-way slip-in cartridge valve with shuttle valve	8-19
C*W	2-way slip-in cartridge valve with shuttle valve	8-20
C10C*E	2-way slip-in cartridge valve with position control	8-85
C1DB	2-way slip-in cartridge valve, check valve	8-75
C4V	Check valve, direct operated	6-11
C4V	Check valve, pilot operated	6-14
C5V	Check valve, direct operated, SAE flange	9-41
CB	Cartridge block	12-30
CE, CP	2-way slip-in cartridge valve without cover	8-4
CM	Check valve, direct operated	7-51
CPOM	Check valve, pilot operated	7-55
CS	Check valve, direct operated	6-7
CS06	Sandwich plate	12-26
D*1FB	DC valve, pilot operated, proportional, with/without OBE	3-24
D*1FC	DC valve, pilot operated, proportional	3-63
D*1FP	DC valve, pilot operated	3-105
D*1FP	DC valve, pilot operated, with EtherCAT	3-115
D*1VW	DC valve, pilot operated	2-61
D*FP*D	DC valve, direct operated, freely config. control circuit	3-87
D11P	DC valve, direct operated	2-74
D1FB	DC valve, direct operated, proportional, with/without OBE	3-3
D1FC	DC valve, direct operated, proportional	3-47
D1FP	DC valve, direct operated	3-73
D1FP	DC valve, direct operated, with EtherCAT	3-115
D1FV	Pressure reducing valve, proportional, with/without OBE	3-39
D1MW	DC valve, direct operated	2-33
D1SE	Seat valve, 3/2-way	2-2
D1VA	DC valve, direct operated, pneumatically	2-85
D1VL	DC valve, direct operated, hand lever	2-89
D1VP	DC valve, direct operated, hydraulically	2-74
D1VW	DC valve, direct operated	2-5
D1VW	DC valve, direct operated, with inductive position control	2-19
D1VW 8W	DC valve, direct operated, 8 watt	2-13
D1VW Ex	DC valve, direct operated, explosion proof	2-28

Series	Description	Page
D30FP	DC valve, pilot operated	3-98
D30FP	DC valve, pilot operated, with EtherCAT	3-115
D31DW	DC valve, pilot operated	2-61
D31NW	DC valve, pilot operated	2-61
D3DL	DC valve, direct operated, hand lever	2-89
D3DP	DC valve, direct operated, hydraulically	2-85
D3FB	DC valve, direct operated, proportional, with / w/o OBE	3-14
D3FC	DC valve, direct operated, proportional	3-55
D3FP	DC valve, direct operated	3-80
D3FP	DC valve, direct operated, with EtherCAT	3-115
D3MW	DC valve, direct operated	2-55
D3W	DC valve, direct operated	2-39
D3W	DC valve, direct operated, with inductive position control	2-46
D4P	DC valve, direct operated, hydraulically	2-74
D4S	Seat valve, pipe mounting	10-24
D4S	Seat valve, subplate mounting	6-18
D51*	Cover plate	12-28
D9P	DC valve, direct operated	2-74
DSBA	Pilot valve with preload valve	8-25
DSDU	Pressure reducing valve, pilot operated, TÜV certificate	8-38
EVSA	Pressure reducing valve, direct operated	4-8
EX-M05	Test unit	11-30
F / 9F	Throttle check valves	10-37
F5C	Throttle valve, proportional, SAE flange	9-30
FM	Throttle check valve	7-39
FS	Throttle check valve	5-6
GFG2	Flow control valve, 2-way	5-10
H06	Sandwich plate	12-22
MSP	Multi-station manifold	12-12
MV / 9MV	Needle valves	10-33
MVI	Check und throttle valve	5-2
N / 9N	Needle valves	10-35
NS	Needle valve	5-4
PAC120	PLC for electrohydraulic controls	11-24
PACHC	Electrohydraulic control module	11-27
PADA	Adaptor plate	12-21
PCMS	Flow control valve, 2-way	5-8
PCD00	E-module for proportional pressure flow control valves	11-12
PCM / 9PCM	Flow control valves	10-39
PID00	Axis controller	11-20
PRDM	Pressure reducing valve, direct operated	7-22
PRM	Pressure reducing valve, pilot operated	7-27
PRPM	Pressure reducing valve, pilot operated, proportional	7-35
PSB	Pressure switch	12-36
PWD00	E-module for proportional valves	11-2
PWDXX	E-module for proportional valves with position transducer	11-8
PZD00	E-module for command signal	11-16

Product Index, Alphanumeric

Series	Description	Page
R / RS*E	Pressure relief valves, pilot operated, cartridge	8-32
R06M	Pilot valve with pressure relief function	8-21
R1E02	Pressure relief valve, direct operated	4-11
R4R	Pressure reducing valve, pilot operated, pipe mounting	10-8
R4R	Pressure reducing valve, pilot operated, subplate mounting	4-73
R4R*P2	Pressure reducing valve, pilot operated, proportional, pipe mounting	10-19
R4R*P2	Pressure reducing valve, pilot operated, proportional, subplate mounting	4-77
R4S	Sequence valve, pilot operated, subplate mounting	4-67
R4U	Unloading valve, subplate mounting	4-61
R4V	Pressure relief valve, pilot operated, pipe mounting	10-2
R4V / R6V	Pressure relief valves, pilot operated, subplate mounting	4-14
R4V / R6V	Pressure relief valves, pilot operated, proportional, subplate mounting	4-42
R4V / R6V	Pressure relief valves, pilot operated, TÜV certificate, subplate mounting	4-23
R4V / R6V*P*	Pressure relief valves, pilot operated, proportional, OBE, subplate mounting	4-48
R4V*P2	Pressure relief valve, pilot operated, proportional, pipe mounting	10-14
R5P	Pressure compensator, 3-way, SAE flange	9-34
R5S	Sequence valve, pilot operated, SAE flange	9-12
R5U	Unloading valve, pilot operated, SAE flange	9-7
R5V*P2	Pressure relief valve, pilot operated, proportional, SAE flange	9-15
RDM	Pressure relief valve, direct operated	7-9
RE*E*T	Pressure relief valve, pilot operated, proportional, OBE, cartridge	8-45
RE*E*W	Pressure relief valve, pilot operated, proportional, cartridge	8-41
RE06M*T	Pressure relief valve, direct operated, proportional, OBE, subplate mounting	4-36
RE06M*W	Pressure relief valve, direct operated, subplate mounting	4-32
RH	Check valve, pilot operated	10-43
RK / RB	Check valve, threaded, block mounting	6-4
RM	Pressure relief valve, pilot operated	7-13
RPDM	Pilot valve, proportional, with pressure relief function	8-23
RS06M	Pilot valve with pressure relief function	8-22
S06M	Pilot valve with pressure sequence	8-27
SCPSD	Pressure switch, electronically	12-41
SD500	Pressure intensifier	12-47
SPD	Subplate for DC valve	12-2
SPP	Subplate for pressure valves	12-8
SPZBE	Check valve, threaded	6-9
SSR	Shuttle valve, block mounting	6-2
SVLA	Check valve, pilot operated, subplate mounting	8-28
SVLB	Check valve, pilot operated, cartridge	8-77

Series	Description	Page
TDA	Throttle valve, 2-way, proportional, pilot operated	8-102
TDC	High response valve, 2-way	8-109
TDP	VCD® performance valve, 2-way	8-117
TDW	Cartridge valve, 2/2-way, active controlled	8-91
TEA	Throttle valve, 2-way, proportional, pilot operated, with shut-off valve	8-106
TEP	High-response valve, 2-way, with shut-off valve	8-127
TFF	High-response valve, 2-way	8-138
TK	Tie rod kit	12-33
TPQ	High-response valve, 3-way	8-158
UR*E / US*E	Unloading valves, pilot operated, cartridge	8-55
UR06M / US06M	Pilot valves with unloading function	8-26
VB	Pressure relief valve	4-5
VBY*K	Pressure relief valve, proportional	4-56
VM	Pressure reducing valve, direct operated	4-70
VS	Pressure relief valve	4-2
WM	Pressure gauge selector valve	12-34
Z1DW	Shut-off valve, direct operated	7-2
ZDR	Pressure reducing valve, pilot operated, high performance	7-31
ZDV	Pressure relief valve, pilot operated, high performance	7-18
ZNS	Counterbalance valve, pilot operated	7-60
ZSRA / ZSRB	Shuttle valves, sandwich plate	8-28
ZUDB	Pressure relief valve, sandwich plate	8-24

back

Product Index by Function

Function	Description	Series	Page
2-way cartridge	Cover without auxiliary function	C*A	8-8
	Cover for pressure relief function	C*F	8-14
		C*G	8-15
	Cover with stroke limiter	C*B	8-9
		C*H	8-16
	Cover with shuttle valve	C*V	8-19
		C*W	8-20
	Cover for pilot system mounting	C*C	8-11
	Slip-in cartridge without cover	CE, CP	8-4
	Complete valve, with position control	C10C*E	8-85
Complete valve, directional function, active	TDW	8-91	
Check valve	C1DB	8-75	
Cover plate	D51*	12-28	
Check and throttle valve	Needle valve, screw-in mounting	MVI	5-2
	Needle valve, pipe mounting	MV / 9MV N / 9N NS	10-33 10-35 5-4
Axis controller	For position, pressure and speed control	PID00	11-20
Adaptor plate		PADA	12-21
Subplate	For pressure valves	A102 SPP	12-11 12-8
	For DC valves	A SPD	12-7 12-2
Body for 2/2-way slip-in cartridge	Cartridge block	CB	12-30
Throttle check valve	Pipe mounting	F / 9F	10-37
	Subplate mounting	FS	5-6
	Sandwich plate	FM	7-39
Throttle valve	Proportional, pilot operated, 2/2-way, cartridge	TDA	8-102
	Proportional, pilot operated, with shut-off valve, cartridge	TEA	8-106
	Proportional, SAE flange	F5C	9-30
Unloading valve	Manually pilot operated, cartridge	UR*E / US*E	8-51
	Subplate mounting	R4U	4-61
	Pilot operated, SAE flange	R5U	9-7
Pressure relief valve	Direct operated, screw-in mounting	EVSA	4-8
	Direct operated, subplate mounting	VB VS	4-5 4-2
	Direct operated, proportional, subplate mounting	RE06M*W	4-32
	Direct operated, proportional, OBE, subplate mounting	RE06M*T	4-36
	Direct operated, seated type	R1E02	4-11
	Direct operated, sandwich plate	RDM	7-9
	Pilot operated, cartridge	R / RS*E	8-32
	Proportional, subplate mounting	VBY*K	4-56

Function	Description	Series	Page
Pressure relief valve	Pilot operated, sandwich plate	RM	7-13
	Pilot operated, high performance, sandwich plate	ZDV	7-18
	Pilot operated, pipe mounting	R4V	10-2
	Pilot operated, subplate mounting	R4V / R6V	4-14
	Pilot operated, proportional, OBE, subplate mounting	R4V / R6V*P*	4-48
	Pilot operated, proportional, cartridge	RE*E*W	8-41
	Pilot operated, proportional, OBE, cartridge	RE*E*T	8-45
	Pilot operated, proportional, subplate mounting	R4V / R6V R4V*P2	4-42 10-14
	Pilot operated, proportional, SAE flange	R5V*P2	9-15
	Pilot operated, TÜV certificate, subplate mounting	R4V / R6V	4-23
Pilot operated, TÜV certificate, cartridge	DSDU	8-38	
Pressure reducing valve	Direct operated, subplate mounting	VM	4-70
	Direct operated, sandwich plate	PRDM	7-22
	Proportional, with/without OBE, subplate mounting	D1FV	3-39
	Pilot operated, high performance, sandwich plate	ZDR	7-31
	Pilot operated, sandwich plate	PRM	7-27
	Pilot operated, pipe mounting	R4R	10-8
	Pilot operated, subpl. mounting	R4R	4-73
	Pilot operated, proportional, pipe mounting	R4R*P2	10-19
	Pilot operated, proportional, subplate mounting	R4R*P2	4-77
	Pressure reducing valve	Pilot operated, proportional, sandwich plate	PRPM
Pressure switch	Electro-hydraulic	PSB	12-36
	Electronics	SCPSD	12-41
Pressure intensifier		SD500	12-47
Pressure compensator	3-way, SAE flange	R5P	9-34
Sequence valve	Pilot operated, subplate mounting	R4S	4-67
	Pilot operated, SAE flange	R5S	9-12
Electronics	For proportional pressure/flow control valves	PCD00	11-12
	For proportional valves	PWD00 PWDXX	11-2 11-8
	For command signal processing	PZD00	11-16
Pressure gauge valve		WM	12-34
Test unit	For Parker prop. and servo proportional valves with OBE	EX-M05	11-30

Product Index by Function

Function	Description	Series	Page
Servo proportional valve	Direct operated, subplate mounting	D1FP	3-73
		D*FP*D	3-87
		D3FP	3-80
	Direct operated, with EtherCAT, subplate mounting	D*FP	3-115
		D*1FP	3-105
	Pilot operated, subpl. mounting	D30FP	3-98
	Pilot operated, proportional, 2-way, cartridge	TDC	8-109
	Pilot operated, VCD®, 2-way, cartridge	TDP	8-117
	Pilot operated, VCD®, 2-way, cartridge with shut-off valve	TEP	8-127
	Pilot operated, VCD®, 2-way, cartridge	TFP	8-138
Pilot operated, VCD®, 3-way, cartridge	TPQ	8-158	
Control module	for electrohydraulic controls	PACHC	11-27
Check valve	Direct operated, pipe mounting	C / 9C	10-41
	Direct operated, subplate mounting	C4V	6-11
		CS	6-7
	Direct operated, SAE flange	C5V	9-41
		CM	7-51
	Block mounting	RK / RB	6-4
		SPZBE	6-9
	Pilot operated, block mounting	SVLB	8-77
	Pilot operated, pipe mounting	RH	10-43
	Pilot operated, subplate mounting	C4V	6-14
SVLA		8-30	
Pilot operated, sandwich plate	CPOM	7-55	
Multi-station manifold		MSP	12-12
Bolt kit		BK	12-32
Counterbalance valve	Pilot operated, high performance, sandwich plate	ZNS	7-60
Programmable Logic Controller	for electrohydraulic controls	PAC120	11-24
Tie rod kit		TK	12-33
Flow control valve	2-way, subplate mounting	PCMS	5-8
	2-way, pipe mounting	PCM / 9PCM	10-39
	2-way, subplate mounting	GFG2	5-10
Pilot valve, pressure function	With unloading function, subplate mounting	UR06M / US06M	8-27
		RS06M	8-22
	With preload function, subplate mounting	R06M	8-21
		DSBA	8-25
	Sequence function, subpl. mount.	S06M	8-29
	Proportional, with pressure relief function, sandwich plate	RPDM	8-23
With pressure reducing function, sandwich plate	ZUDB	8-24	
Shuttle valve	Screw-in mounting	SSR	6-2
	Sandwich plate	ZSRA / ZSRB	8-30
Directional seat valve	3/2-way, subplate mounting	D1SE	2-2
	Pipe mounting	D4S	10-24
	Subplate mounting	D4S	6-18

Function	Description	Series	Page
DC valve, direct operated	Direct operated, hydraulically, subplate mounting	D11P	2-74
		D1VP	2-74
		D3DP	2-74
		D4P	2-74
		D9P	2-74
	Direct operated, solenoid, 8 watt, subplate mounting	D1VW 8 Watt	2-13
		D1VW	2-28
	Direct operated, solenoid, explosion proof, subplate mounting	D1VW	2-19
		D3W	2-46
	Direct operated, solenoid, with inductive position control, subplate mounting	D1VW	2-5
D1MW		2-33	
D3MW		2-55	
D3W		2-39	
Z1DW		7-2	
Direct operated, solenoid, sandwich plate	D1VL	2-89	
	D3DL	2-89	
	D1VA	2-85	
	D1FC	3-47	
	D3FC	3-55	
Direct operated, proportional, with OBE and position feedback, subplate mounting	D1FB	3-3	
	D3FB	3-14	
	D*1VW	2-61	
Pilot operated, subplate mounting	D31DW	2-61	
	D31NW	2-61	
	D*1FC	3-63	
Pilot operated, proportional, with OBE and position feedback, subplate mounting	D*1FC	3-63	
	D*1FB	3-24	
Sandwich plate	CS06	12-26	
	H06	12-22	

back